

RICK D. NYDEGGER  
BRENT P. LORIMER  
THOMAS R. VUKSINICK  
LARRY R. LAYCOCK  
JONATHAN W. RICHARDS  
DAVID R. WRIGHT  
JOHN C. STRINGHAM  
JOHN M. GUYNN  
CHARLES L. ROBERTS  
DANA L. TANGREN  
ERIC L. MASCHOFF  
CHARLES J. VEVERKA  
ROBYN L. PHILLIPS  
RICHARD C. GILMORE \*  
STERLING A. BRENNAN  
R. BURNS ISRAELSEN  
DAVID R. TODD  
DAVID B. DELLENBACH  
L. DAVID GRIFFIN  
ADRIAN J. LEE  
FRASER D. ROY  
CARL T. REED



R. PARRISH FREEMAN, JR.  
PETER F. MALEN, JR.  
L. REX SEARS, PH.D.  
WILLIAM R. RICHTER  
ROBERT E. AYCOCK  
JENS C. JENKINS  
MICHAEL B. DODD  
KEVIN W. STINGER  
WILLIAM J. ATHAY  
RYAN D. BENSON  
SARA D. JONES  
TIGE KELLER  
JANNA L. JENSEN  
MATTHEW D. TODD  
J. LAVAR OLDHAM  
MICHAEL J. FRODSHAM  
BRETT A. HANSEN  
BRETT I. JOHNSON  
MATTHEW A. BARLOW  
WESLEY C. ROSANDER  
ANDREW S. HANSEN  
CHAD E. NYDEGGER  
JOSEPH G. PIA  
CLINTON E. DUKE  
RYAN N. FARR \*  
JAMES B. BELSHE  
KIRK R. HARRIS  
KEELY SCHNEITER  
MICHAEL M. BALLARD  
DAVID A. JONES  
SHANE K. JENSEN  
JONATHAN M. BENNS, PH.D.

VERNON R. RICE §  
OF COUNSEL

# WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS



1000 EAGLE GATE TOWER  
60 EAST SOUTH TEMPLE  
SALT LAKE CITY, UTAH 84111  
TELEPHONE: (801) 533-9800  
FAX: (801) 328-1707  
WEBSITE: HTTP://WWW.WNLAW.COM

PATENT  
Docket No. 7678.858

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

McLean et al.

Serial No.: 10/783,597

Filed: Feb. 19, 2004

For: UNIVERSAL TRAY DESIGN HAVING  
ANATOMICAL FEATURES TO ENHANCE FIT

Examiner: Cary E. O'Connor

Patent No.: 7,059,858

Issue Date: Jun. 13, 2006

Art Unit  
3732

### REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

**Certificate**  
**SEP 18 2006**  
**of Correction**

09/15/2006 DEMMANU1 00000057 7059858

01 FC:1811

100.00 OP

\* Admitted only in California  
§ Admitted only in Virginia


BEST AVAILABLE COPY

SEP 19 2006

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 12 day of September, 2006.

Respectfully submitted,




Rick D. Nydegger  
Attorney for Patentee  
Registration No. 28,651  
Customer No. 022913

RDN:dcn  
Docket No. 7678.858  
PR0000001760V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 12 day of September, 2006.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,  
PTO Form 1050 and Check No. 148901 for \$100.00


SEP 19 2006

RICK D. NYDEGGER  
BRENT P. LORIMER  
THOMAS R. VUKSINICK  
LARRY R. LAYCOCK  
JONATHAN W. RICHARDS  
DAVID R. WRIGHT  
JOHN C. STRINGHAM  
JOHN M. GUINN  
CHARLES L. ROBERTS  
DANA L. TANGREN  
ERIC L. MASCHOFF  
CHARLES J. VEYERKA  
ROBYN L. PHILLIPS  
RICHARD C. GILMORE  
STERLING A. BRENNAN  
R. BURNS ISRAELSEN  
DAVID R. TODD  
DAVID B. DELLENBACH  
L. DAVID GRIFFIN  
ADRIAN J. LEE  
FRASER D. ROY  
CARL T. REED

# WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER  
60 EAST SOUTH TEMPLE  
SALT LAKE CITY, UTAH 84111  
TELEPHONE: (801) 533-9800  
FAX: (801) 328-1707  
WEBSITE: HTTP://WWW.WNLAW.COM



PATENT  
Docket No. 7678.858

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

McLean et al.

Serial No.: 10/783,597

Filed: Feb. 19, 2004

For: UNIVERSAL TRAY DESIGN HAVING  
ANATOMICAL FEATURES TO ENHANCE FIT

Examiner: Cary E. O'Connor

Patent No.: 7,059,858

Issue Date: Jun. 13, 2006

Art Unit  
3732

R. PARRISH FREEMAN, JR.  
PETER F. MALEN, JR.  
L. REX SEARS, PH.D.  
WILLIAM R. RICHTER  
ROBERT E. AYCOCK  
JENS C. JENKINS  
MICHAEL B. DODD  
KEVIN W. STINGER  
WILLIAM J. ATHAY  
RYAN D. BENSON  
SARA D. JONES  
TIGE KELLER  
JANNA L. JENSEN  
MATTHEW D. TODD  
J. LAVAR OLDHAM  
MICHAEL J. FRODSHAM  
BRETT A. HANSEN  
BRETT I. JOHNSON  
MATTHEW A. BARLOW  
WESLEY C. ROSANDER  
ANDREW S. HANSEN  
CHAD E. NYDEGGER  
JOSEPH G. PIA  
CLINTON E. DUKE  
RYAN N. FARR \*  
JAMES B. BELSHE  
KIRK R. HARRIS  
KEELY SCHNEITER  
MICHAEL M. BALLARD  
DAVID A. JONES  
SHANE K. JENSEN  
JONATHAN M. BENNS, PH.D.

VERNON R. RICE §  
OF COUNSEL

### REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:


In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

SEP 19 2006

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 12 day of September, 2006.

Respectfully submitted,




Rick D. Nydegger  
Attorney for Patentee  
Registration No. 28,651  
Customer No. 022913

RDN:dcm  
Docket No. 7678.858  
PR0000001760V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 12 day of September, 2006.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,  
PTO Form 1050 and Check No. 148901 for \$100.00

SEP 19 2006

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO. : 7,059,858

DATED : Jun. 13, 2006

INVENTOR(S) : McLean et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4

Line 8, after "adhesive" remove [:]

Column 5

Line 59, change "tray shaped" to --tray-shaped--

Column 6

Line 6, change "persons" to --person's--

Column 15

Line 62, after "the number" insert --of--

Column 16

Line 59, change "skreeding" to --screeding--

Column 17

Line 11, change "persons" to --person's--

Column 18

Line 1, change "moisture-resistance" to --moisture-resistant--

Column 19

Line 58, change "compromise" to --comprises--

Column 20

Line 27, change "baffler" to --barrier--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Rick D. Nydegger  
WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

PATENT NO. 7,059,858

No. of additional copies

 0

SEP 19 2006

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO. : 7,059,858

DATED : Jun. 13, 2006

INVENTOR(S) : McLean et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4

Line 8, after "adhesive" remove [:]

Column 5

Line 59, change "tray shaped" to --tray-shaped--

Column 6

Line 6, change "persons" to --person's--

Column 15

Line 62, after "the number" insert --of--

Column 16

Line 59, change "skreeding" to --screeding--

Column 17

Line 11, change "persons" to --person's--

Column 18

Line 1, change "moisture-resistance" to --moisture-resistant--

Column 19

Line 58, change "compromise" to --comprises--

Column 20

Line 27, change "baffler" to --barrier--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Rick D. Nydegger  
WORKMAN NYDEGGER  
1000 Eagle Gate Tower  
60 East South Temple  
Salt Lake City, Utah 84111

PATENT NO. 7,059,858

No. of additional copies

 0

SEP 19 2006